



**WE'RE NOT JUST SETTING THE STANDARD
WE'RE LEADING THE WAY**

**2010-2011
APPLICATION CHART
AND
SELECTION GUIDE***



* For a more detailed listing of applications and ballast weights go to bossplow.com



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

**POWER-V SNOWPLOWS
GENERAL MOTORS**

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
CHEV – GMC AVALANCHE ⁷ 3/4 TON 2002-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁶ MSC15000B LTA04767B MSC15100 ¹							
CHEV – GMC BLAZER & SUBURBAN 3/4 TON 1979-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ³ MSC15000B LTA03660 MSC15100 ¹							
CHEV – GMC BLAZER & SUBURBAN 1/2 TON 1992-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁴ MSC15000B LTA03656 MSC15100 ¹							
CHEV – GMC BLAZER & SUBURBAN 3/4 & 1 TON 1992-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁵ MSC15000B LTA03656 MSC15100 ¹	MSC09908B ⁵ MSC15000B LTA03656 MSC15100 ¹	MSC10282B ⁵ MSC15000B LTA03656 MSC15100 ¹	MSC10182B ⁵ MSC15000B LTA03656 MSC15100 ¹				
CHEV – GMC SUBURBAN 3/4 TON 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC09908B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC10282B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC10182B ⁶ MSC15000B LTA04767B MSC15100 ¹				
CHEV – GMC 1/2 TON 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ² MSC15000B LTA03660 MSC15100 ¹							
CHEV – GMC (CLASSIC BODY STYLE) 1/2 TON 1988-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁴ MSC15000B LTA03656 MSC15100 ¹							
CHEV – GMC (NEW BODY STYLE) 1/2 TON ⁷ 1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ^{4,8,9} MSC15000B LTA04766 MSC15100 ¹							
CHEV – GMC 1/2 TON ⁷ 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ^{4,8,9} MSC15000B LTA04766 MSC15100 ¹							
CHEV – GMC (CLASSIC BODY STYLE) 1/2 TON ⁷ 2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ^{4,8,9} MSC15000B LTA04766 MSC15100 ¹							

(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.

(2) Requires minimum 3600# front GAWR.

(3) Requires minimum 3800# front GAWR.

(4) Requires minimum 3925# front GAWR. "VYU" package also recommended.

(5) Requires minimum 4250# front GAWR. "VYU" package also recommended.

(6) Requires minimum 4500# front GAWR. "VYU" package also recommended.

(7) To achieve proper mounting height the air dam/bumper may require cutting.

(8) Excludes Extended cab long box and Crew cab trucks.

(9) Limit occupants to driver only for Extended cab trucks.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-VXT	9'2" POWER-V XT	10'0" POWER-V
CHEV – GMC (NEW BODY STYLE) 1/2 TON ⁸ 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ^{4,9} MSC15000B LTA09001 MSC15100 ¹							
CHEV – GMC 3/4 TON 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ² MSC15000B LTA03660 MSC15100 ¹	MSC09908B ² MSC15000B LTA03660 MSC15100 ¹	MSC10282B ² MSC15000B LTA03660 MSC15100 ¹	MSC10182B ² MSC15000B LTA03660 MSC15100 ¹				
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON 1988-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ³ MSC15000B LTA03656 MSC15100 ¹	MSC09908B ³ MSC15000B LTA03656 MSC15100 ¹	MSC10282B ³ MSC15000B LTA03656 MSC15100 ¹	MSC10182B ³ MSC15000B LTA03656 MSC15100 ¹				
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON CHASSIS CAB 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ³ MSC15000B LTA03656 MSC15100 ¹	MSC09908B ³ MSC15000B LTA03656 MSC15100 ¹	MSC10282B ³ MSC15000B LTA03656 MSC15100 ¹	MSC10182B ³ MSC15000B LTA03656 MSC15100 ¹				
CHEV – GMC (NEW BODY STYLE) ^{6,8} 2500 (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B MSC15000B LTA04767B MSC15100 ¹	MSC10282B MSC15000B LTA04767B MSC15100 ¹	MSC10182B MSC15000B LTA04767B MSC15100 ¹				
CHEV – GMC (NEW BODY STYLE) ^{6,8} 2500 CHASSIS CAB (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B MSC15000B LTA04767B MSC15100 ¹	MSC10282B MSC15000B LTA04767B MSC15100 ¹	MSC10182B MSC15000B LTA04767B MSC15100 ¹				
CHEV – GMC 2500 (8,600 GVWR) ^{6,8} 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B MSC15000B LTA04767B MSC15100 ¹	MSC10282B MSC15000B LTA04767B MSC15100 ¹	MSC10182B MSC15000B LTA04767B MSC15100 ¹				
CHEV – GMC 2500 CHASSIS CAB ^{6,8} (8,600 GVWR) 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B MSC15000B LTA04767B MSC15100 ¹	MSC10282B MSC15000B LTA04767B MSC15100 ¹	MSC10182B MSC15000B LTA04767B MSC15100 ¹				
CHEV – GMC 2500HD ^{7,8} GAS ENG. 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B ¹² MSC15000B LTA04767B MSC15100 ¹	MSC10282B ¹² MSC15000B LTA04767B MSC15100 ¹	MSC10182B ¹² MSC15000B LTA04767B MSC15100 ¹	MSC09909B ¹² MSC15000B LTA04767B MSC15100 ¹	MSC10292B ¹¹ MSC15000B LTA04767B MSC15100 ¹	MSC10192B ¹² MSC15000B LTA04767B MSC15100 ¹	
CHEV – GMC 2500HD ^{7,8} DIESEL ENG. 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ¹⁰ MSC15000B LTA04767B MSC15100 ¹	MSC09908B ⁹ MSC15000B LTA04767B MSC15100 ¹	MSC10282B ^{9,13} MSC15000B LTA04767B MSC15100 ¹	MSC10182B ^{9,13} MSC15000B LTA04767B MSC15100 ¹	MSC09909B ^{9,13} MSC15000B LTA04767B MSC15100 ¹	MSC10292B ^{9,13} MSC15000B LTA04767B MSC15100 ¹	MSC10192B ^{9,13} MSC15000B LTA04767B MSC15100 ¹	

<p>(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.</p> <p>(2) Requires minimum 3800# front GAWR.</p> <p>(3) Requires minimum 3925# front GAWR.</p> <p>(4) Requires minimum 3950# front GAWR. 4.3L Gasoline Engine only.</p> <p>(5) Requires minimum 4250# front GAWR. "VYU" package also recommended.</p> <p>(6) Requires minimum 4500# front GAWR. "VYU" package also recommended.</p>	<p>(7) Requires minimum 4800# front GAWR. "VYU" package also recommended</p> <p>(8) To achieve proper mounting height the air dam/bumper may require cutting.</p> <p>(9) Regular Cab only.</p> <p>(10) Excludes Crew Cab and Long Box Extended Cab trucks.</p> <p>(11) Excludes Crew Cab and Extended Cab trucks with 8.1L gasoline engine.</p> <p>(12) Excludes Crew Cab and Long Box Extended Cab trucks with 8.1L gasoline engine.</p> <p>(13) Limit occupants to driver only.</p>
--	---

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-VXT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-VXT	9'2" POWER-V XT	10'0" POWER-V
CHEV – GMC 2500HD ^{3,5} GAS ENG. 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04767B MSC15100 ¹	MSC09908B MSC15000B LTA04767B MSC15100 ¹	MSC10282B MSC15000B LTA04767B MSC15100 ¹	MSC10182B MSC15000B LTA04767B MSC15100 ¹	MSC09909B MSC15000B LTA04767B MSC15100 ¹	MSC10292B MSC15000B LTA04767B MSC15100 ¹	MSC10192B MSC15000B LTA04767B MSC15100 ¹	
CHEV – GMC 2500HD ^{3,5} DIESEL ENG. 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ^{8,9} MSC15000B LTA04767B MSC15100 ¹							
CHEV – GMC 1 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03660 MSC15100 ¹	MSC09908B MSC15000B LTA03660 MSC15100 ¹	MSC10282B MSC15000B LTA03660 MSC15100 ¹	MSC10182B MSC15000B LTA03660 MSC15100 ¹	MSC09909B MSC15000B LTA03660 MSC15100 ¹	MSC10292B MSC15000B LTA03660 MSC15100 ¹	MSC10192B MSC15000B LTA03660 MSC15100 ¹	
CHEV – GMC (CLASSIC BODY STYLE) 1 TON ² 1988-2000 Reg. Cab 1998-2000 Ext. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC09908B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10282B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10182B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC09909B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10292B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10192B MSC15000B LTA03656 ⁴ MSC15100 ¹	
CHEV – GMC (CLASSIC BODY STYLE) 1 TON CHASSIS CAB ² 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC09908B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10282B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10182B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC09909B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10292B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10192B MSC15000B LTA03656 ⁴ MSC15100 ¹	
CHEV – GMC (CLASSIC BODY STYLE) 1 TON DUAL REAR WHL ² 1988-2000 Reg. Cab 1998-2000 Ext. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10292B MSC15000B LTA03656 ⁴ MSC15100 ¹	MSC10192B MSC15000B LTA03656 ⁴ MSC15100 ¹	
CHEV – GMC (CLASSIC BODY STYLE) HD 3500 (2WD) ² 1991-1998	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA03675 MSC15100 ¹	MSC10282B MSC15000B LTA03675 MSC15100 ¹	MSC10182B MSC15000B LTA03675 MSC15100 ¹	MSC09909B MSC15000B LTA03675 MSC15100 ¹	MSC10292B MSC15000B LTA03675 MSC15100 ¹	MSC10192B MSC15000B LTA03675 MSC15100 ¹	
CHEV – GMC 3500 ^{3,5} 3500 CHASSIS CAB ^{3,5} GAS ENG. 2001-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B ¹⁰ MSC15000B LTA04767B MSC15100 ¹	MSC10282B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC10182B ¹⁰ MSC15000B LTA04767B MSC15100 ¹	MSC09909B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC10292B ⁶ MSC15000B LTA04767B MSC15100 ¹	MSC10192B ⁶ MSC15000B LTA04767B MSC15100 ¹	
CHEV – GMC 3500 ^{3,5} 3500 CHASSIS CAB ^{3,5} DIESEL ENG. 2001-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B ⁷ MSC15000B LTA04767B MSC15100 ¹	MSC10282B ^{7,8} MSC15000B LTA04767B MSC15100 ¹	MSC10182B ⁷ MSC15000B LTA04767B MSC15100 ¹	MSC09909B ^{7,8} MSC15000B LTA04767B MSC15100 ¹	MSC10292B ^{7,8} MSC15000B LTA04767B MSC15100 ¹	MSC10192B ^{7,8} MSC15000B LTA04767B MSC15100 ¹	

(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.

(2) Requires minimum 4250# front GAWR. "VYU" package also recommended.

(3) Requires minimum 4800# front GAWR. "VYU" package also recommended.

(4) Chevrolet 1 ton vehicles (1988 & 1989) without the 3500 series designation requires the 1979-1987 undercarriage.

(5) To achieve proper mounting height the air dam/bumper may require cutting.

(6) Excludes Crew Cab and Extended Cab trucks with 8.1L gasoline engine.

(7) Excludes Crew Cab and Extended Cab trucks.

(8) Limit occupants to driver only.

(9) Regular Cab only.

(10) Excludes Crew Cab with 8.1L gasoline engine.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-VXT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-VXT	9'2" POWER-V XT	10'0" POWER-V
CHEV – GMC 3500 HD ^{6,5} 3500 HD CHASSIS CAB 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	MSC10282B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	MSC10182B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	MSC09909B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	MSC10292B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	MSC10192B ^{8,9} MSC15000B LTA04767B MSC15100 ¹	
CHEV C4500 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B ³ MSC15000B LTA05150B MSC15100 ¹	MSC10292B ³ MSC15000B LTA05150B MSC15100 ¹	MSC10192B ³ MSC15000B LTA05150B MSC15100 ¹	MSC09910 ⁴ MSC15010 LTA05100B MSC15100 ¹
CHEV C5500 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B ³ MSC15000B LTA05150B MSC15100 ¹	MSC10292B ³ MSC15000B LTA05150B MSC15100 ¹	MSC10192B ³ MSC15000B LTA05150B MSC15100 ¹	MSC09910 ⁴ MSC15010 LTA05100B MSC15100 ¹
MEDIUM DUTY (14,000-24,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT								MSC09910 MSC15010 LTA07667B MSC15100 ¹
(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) 2wd requires minimum 6250# front GAWR. 4wd requires minimum 7000# front GAWR for all plows. "VYU" package also recommended. Verify front axle load not exceeded with service body installation.					(4) Requires minimum 7000# front GAWR for 2wd and 4wd trucks. (5) To achieve proper mounting height the air dam/bumper may require cutting. (6) Requires minimum 4800# front GAWR. "VYU" package also recommended. (7) Excludes Crew Cab and Extended Cab trucks with 8.1L gasoline engine. (8) Excludes vehicles with diesel engines. (9) Limit occupants to driver only, for Crew Cab.				

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
CHEV – GMC AVALANCHE ⁷ 3/4 TON 2002-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁶ STB15020 LTA04767B STB15103 ¹	STB03262 ⁶ STB15020 LTA04767B STB15103 ¹	STB03166 ⁶ STB15020 LTA04767B STB15103 ¹								
CHEV-GMC BLAZER & SUBURBAN 3/4 TON 1979-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ³ STB15020 LTA03660 STB15103 ¹	STB03262 ³ STB15020 LTA03660 STB15103 ¹	STB03166 ³ STB15020 LTA03660 STB15103 ¹	STB03266 ³ STB15020 LTA03660 STB15103 ¹	STB03167 ³ STB15020 LTA03660 STB15103 ¹						
CHEV – GMC BLAZER ⁴ & SUBURBAN ⁴ 1/2 TON 1992-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03656 STB15103 ¹	STB03262 STB15020 LTA03656 STB15103 ¹	STB03166 STB15020 LTA03656 STB15103 ¹	STB03266 STB15020 LTA03656 STB15103 ¹	STB03167 STB15020 LTA03656 STB15103 ¹						
CHEV – GMC BLAZER ⁵ & SUBURBAN ⁵ 3/4 & 1 TON 1992-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03656 STB15103 ¹	STB03262 STB15020 LTA03656 STB15103 ¹	STB03166 STB15020 LTA03656 STB15103 ¹	STB03266 STB15020 LTA03656 STB15103 ¹	STB03167 STB15020 LTA03656 STB15103 ¹	STB09980 STB15020 LTA03656 STB15103 ¹					
CHEV – GMC SUBURBAN ⁷ & TAHOE ⁷ 1/2 TON 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁴ STB15020 LTA04766 STB15103 ¹	STB03262 ⁴ STB15020 LTA04766 STB15103 ¹									
CHEV – GMC SUBURBAN ⁷ 3/4 TON 2000-2011	BLADE CRATE PLOW BOX U.C. KIT CONTROL KIT	STB03165 ⁶ STB15020 LTA04767B STB15103 ¹	STB03262 ⁶ STB15020 LTA04767B STB15103 ¹	STB03166 ⁶ STB15020 LTA04767B STB15103 ¹	STB03266 ⁶ STB15020 LTA04767B STB15103 ¹	STB03167 ⁶ STB15020 LTA04767B STB15103 ¹	STB09980 ⁶ STB15020 LTA04767B STB15103 ¹	STB03168 ⁶ STB15020 LTA04767B STB15103 ¹		STB03236 ⁶ STB15020 LTA04767B STB15103 ¹		
CHEV – GMC 1/2 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03660 STB15103 ¹	STB03262 STB15020 LTA03660 STB15103 ¹	STB03166 STB15020 LTA03660 STB15103 ¹								
CHEV – GMC (CLASSIC BODY STYLE) 1/2 TON ² 1988-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03656 STB15103 ¹	STB03262 STB15020 LTA03656 STB15103 ¹	STB03166 STB15020 LTA03656 STB15103 ¹								
CHEV – GMC (NEW BODY STYLE) ⁷ 1/2 TON ⁴ 1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁹ STB15020 LTA04766 STB15103 ¹	STB03262 ⁹ STB15020 LTA04766 STB15103 ¹	STB03166 ⁸ STB15020 LTA04766 STB15103 ¹								

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available.

(2) Requires minimum 3600# front GAWR.

(3) Requires minimum 3800# front GAWR.

(4) Requires minimum 3925# front GAWR. "VYU" package also recommended.

(5) Requires minimum 4180# front GAWR. "VYU" package also recommended.

(6) Requires minimum 4500# front GAWR. "VYU" package also recommended.

(7) To achieve proper mounting height the air dam/bumper may require cutting.

(8) Regular Cab only.

(9) Excludes Crew Cab and Long Box Extended Cab trucks.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
CHEV – GMC 1/2 TON ^{3,7} 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁹ STB15020 LTA04766 STB15103 ¹	STB03262 ⁹ STB15020 LTA04766 STB15103 ¹	STB03166 ⁸ STB15020 LTA04766 STB15103 ¹								
CHEV – GMC (NEW BODY STYLE) 1/2 TON ^{4,7} 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ¹⁰ STB15020 LTA09001 STB15103 ¹	STB03262 ⁸ STB15020 LTA09001 STB15103 ¹	STB03166 ⁸ STB15020 LTA09001 STB15103 ¹								
CHEV – GMC 3/4 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03660 STB15103 ¹	STB03266 STB15020 LTA03660 STB15103 ¹	STB03167 STB15020 LTA03660 STB15103 ¹	STB09980 STB15020 LTA03660 STB15103 ¹					
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON ⁵ 1988-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03656 STB15103 ¹	STB03266 STB15020 LTA03656 STB15103 ¹	STB03167 STB15020 LTA03656 STB15103 ¹	STB09980 STB15020 LTA03656 STB15103 ¹					
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON CHASSIS CAB ⁵ 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03656 STB15103 ¹	STB03266 STB15020 LTA03656 STB15103 ¹	STB03167 STB15020 LTA03656 STB15103 ¹	STB09980 STB15020 LTA03656 STB15103 ¹					
CHEV – GMC (NEW BODY STYLE) ⁷ 2500 (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁴ STB15020 LTA04767B STB15103 ¹	STB03262 ⁴ STB15020 LTA04767B STB15103 ¹	STB03166 ⁶ STB15020 LTA04767B STB15103 ¹	STB03266 ⁶ STB15020 LTA04767B STB15103 ¹	STB03167 ⁶ STB15020 LTA04767B STB15103 ¹	STB09980 ⁶ STB15020 LTA04767B STB15103 ¹					
CHEV-GMC (NEW BODY STYLE) ⁷ 2500 CHASSIS CAB (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁴ STB15020 LTA04767B STB15103 ¹	STB03262 ⁴ STB15020 LTA04767B STB15103 ¹	STB03166 ⁶ STB15020 LTA04767B STB15103 ¹	STB03266 ⁶ STB15020 LTA04767B STB15103 ¹	STB03167 ⁶ STB15020 LTA04767B STB15103 ¹	STB09980 ⁶ STB15020 LTA04767B STB15103 ¹					
CHEV – GMC 2500 (8,600 GVWR) ⁷ 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁴ STB15020 LTA04767B STB15103 ¹	STB03262 ⁴ STB15020 LTA04767B STB15103 ¹	STB03166 ⁶ STB15020 LTA04767B STB15103 ¹	STB03266 ⁶ STB15020 LTA04767B STB15103 ¹	STB03167 ⁶ STB15020 LTA04767B STB15103 ¹	STB09980 ⁶ STB15020 LTA04767B STB15103 ¹					

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available.

(2) Requires minimum 3600# front GAWR.

(3) Requires minimum 3925# front GAWR.

(4) Requires minimum 3950# front GAWR. "VYU" package also recommended.

(5) Requires minimum 4250# front GAWR. "VYU" package also recommended.

(6) Requires minimum 4500# front GAWR. "VYU" package also recommended.

(7) To achieve proper mounting height the air dam/bumper may require cutting.

(8) Regular Cab only.

(9) Excludes Crew Cab and Long Box Extended Cab trucks.

(10) Limit occupants to driver only for Extended cab and Crew cab trucks.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
CHEV-GMC 2500 CHASSIS CAB ⁷ (8,600 GVWR) 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ² STB15020 LTA04767B STB15103 ¹	STB03262 ² STB15020 LTA04767B STB15103 ¹	STB03166 ⁴ STB15020 LTA04767B STB15103 ¹	STB03266 ⁴ STB15020 LTA04767B STB15103 ¹	STB03167 ⁴ STB15020 LTA04767B STB15103 ¹						
CHEV – GMC 2500HD ^{5,7} 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁸ STB15020 LTA04767B STB15103 ¹	STB03262 ⁹ STB15020 LTA04767B STB15103 ¹	STB03166 ^{8,11} STB15020 LTA04767B STB15103 ¹	STB03266 ^{8,10} STB15020 LTA04767B STB15103 ¹	STB03167 ^{8,10} STB15020 LTA04767B STB15103 ¹	STB09980 ^{8,12} STB15020 LTA04767B STB15103 ¹	STB03168 ^{8,10} STB15020 LTA04767B STB15103 ¹	STB09986 ^{8,12} STB15020 LTA04767B STB15103 ¹	STB03236 ^{8,12} STB15020 LTA04767B STB15103 ¹	STB09990 ^{12,13} STB15020 LTA04767B STB15103 ¹	
CHEV – GMC 2500HD ^{5,7} 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁸ STB15020 LTA04767B STB15103 ¹	STB03262 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB03166 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB03266 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB03167 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB09980 ¹³ STB15020 LTA04767B STB15103 ¹	STB03168 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB09986 ¹³ STB15020 LTA04767B STB15103 ¹	STB03236 ^{8,14} STB15020 LTA04767B STB15103 ¹	STB09990 ¹³ STB15020 LTA04767B STB15103 ¹	
CHEV – GMC 1 TON ³ 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03660 STB15103 ¹	STB03266 STB15020 LTA03660 STB15103 ¹	STB03167 STB15020 LTA03660 STB15103 ¹	STB09980 STB15020 LTA03660 STB15103 ¹	STB03168 STB15020 LTA03660 STB15103 ¹	STB09986 STB15020 LTA03660 STB15103 ¹	STB03236 STB15020 LTA03660 STB15103 ¹	STB09990 STB15020 LTA03660 STB15103 ¹	
CHEV – GMC (CLASSIC BODY) 1 TON ³ 1988-2000 Reg. Cab. 1998-2000 Ext. Cab.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03656 ⁶ STB15103 ¹	STB03266 STB15020 LTA03656 ⁶ STB15103 ¹	STB03167 STB15020 LTA03656 ⁶ STB15103 ¹	STB09980 STB15020 LTA03656 ⁶ STB15103 ¹	STB03168 STB15020 LTA03656 ⁶ STB15103 ¹	STB09986 STB15020 LTA03656 ⁶ STB15103 ¹	STB03236 STB15020 LTA03656 ⁶ STB15103 ¹	STB09990 STB15020 LTA03656 ⁶ STB15103 ¹	
CHEV – GMC (CLASSIC BODY) 1 TON CHASSIS CAB ³ 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03656 ⁶ STB15103 ¹	STB03266 STB15020 LTA03656 ⁶ STB15103 ¹	STB03167 STB15020 LTA03656 ⁶ STB15103 ¹	STB09980 STB15020 LTA03656 ⁶ STB15103 ¹	STB03168 STB15020 LTA03656 ⁶ STB15103 ¹	STB09986 STB15020 LTA03656 ⁶ STB15103 ¹	STB03236 STB15020 LTA03656 ⁶ STB15103 ¹	STB09990 STB15020 LTA03656 ⁶ STB15103 ¹	
CHEV – GMC (CLASSIC BODY) 1 TON DUAL REAR WHL ³ 1988-2000 Reg. Cab. 1998-2000 Ext. Cab.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA03656 ⁶ STB15103 ¹	STB09990 STB15020 LTA03656 ⁶ STB15103 ¹	
CHEV – GMC CLASSIC BODY STYLE HD 3500 (2WD) ³ 1991-1998	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA03675 STB15103 ¹	STB03167 STB15020 LTA03675 STB15103 ¹	STB09980 STB15020 LTA03675 STB15103 ¹	STB03168 STB15020 LTA03675 STB15103 ¹	STB09986 STB15020 LTA03675 STB15103 ¹	STB03236 STB15020 LTA03675 STB15103 ¹	STB09990 STB15020 LTA03675 STB15103 ¹	

- (1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available.
- (2) Requires minimum 3950# front GAWR.
- (3) Requires minimum 4250# front GAWR. "VYU" package also recommended.
- (4) Requires minimum 4500# front GAWR. "VYU" package also recommended.
- (5) Requires minimum 4800# front GAWR. "VYU" package also recommended.
- (6) Chevrolet 1 ton vehicles (1988 & 1989) without the 3500 series designation require the 1979-1987 undercarriage.

- (7) To achieve proper mounting height the air dam/bumper may require cutting.
- (8) Excludes Crew Cab and Extended Cab trucks with Diesel engine.
- (9) Excludes Crew Cab and Long Box Extended Cab trucks with diesel engine
- (10) Excludes Crew Cab trucks with 8.1L gasoline engine.
- (11) Excludes Crew Cab Short Box trucks with 8.1L gasoline engine.
- (12) Excludes Crew Cab and Long Box Extended Cab trucks with 8.1L gasoline engine
- (13) Excludes trucks with Diesel Engine.
- (14) Limit occupants to driver only for trucks with diesel engine.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™											
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER	
CHEV – GMC 1 TON ⁶ , 1 TON CHASSIS CAB ⁶ 2001-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ^{3,10} STB15020 LTA04767B STB15103 ¹	STB03266 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB03167 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB09980 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB03168 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB09986 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB03236 ^{3,8} STB15020 LTA04767B STB15103 ¹	STB09990 ^{3,8} STB15020 LTA04767B STB15103 ¹		
CHEV – GMC (NEW BODY STYLE) ^{3,6} 1 TON, 1 TON CHASSIS CAB 2007-2009	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ^{9,10} STB15020 LTA04767B STB15103 ¹	STB03266 ^{9,10} STB15020 LTA04767B STB15103 ¹	STB03167 ^{9,10} STB15020 LTA04767B STB15103 ¹	STB09980 ⁷ STB15020 LTA04767B STB15103 ¹	STB03168 ^{9,10} STB15020 LTA04767B STB15103 ¹	STB09986 ⁷ STB15020 LTA04767B STB15103 ¹	STB03236 ^{9,10} STB15020 LTA04767B STB15103 ¹	STB09990 ⁷ STB15020 LTA04767B STB15103 ¹		
CHEV C4500/5500 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT										STB03236 ⁴ STB15020 LTA05150B STB15103 ¹	STB09990 ⁴ STB15020 LTA05150B STB15103 ¹	STB07738 ⁵ STB15050 LTA05100B STB15103 ¹
MEDIUM DUTY (14,000-27,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT												STB07738 STB15050 LTA07667B STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 4800# front GAWR. "VYU" package also recommended. (4) 2wd requires minimum 6250# front GAWR. 4wd requires minimum 7000# front GAWR for all plows. "VYU" package also recommended. Verify front axle load not exceeded with service body installation.						(5) Requires minimum 7000# front GAWR for 2wd and 4wd trucks. (6) To achieve proper mounting height the air dam/bumper may require cutting. (7) Excludes trucks with Diesel engine. (8) Excludes Crew Cab and Long Box Extended Cab trucks with diesel engine (9) Excludes Crew Cab and Extended Cab trucks with diesel engine (10) Limit occupants to driver only for trucks with diesel engine							

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
TRIP-EDGE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
CHEV – GMC BLAZER & SUBURBAN 3/4 TON ³ 1979-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03660 STB15103 ¹	TRP07800 TRP15060 LTA03660 STB15103 ¹	
CHEV – GMC SUBURBAN ⁷ 3/4 TON 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁶ TRP15060 LTA04767B STB15103 ¹	TRP07800 ⁶ TRP15060 LTA04767B STB15103 ¹	
CHEV – GMC BLAZER & SUBURBAN ⁵ 3/4 & 1 TON 1992-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 STB15103 ¹	TRP07800 TRP15060 LTA03656 STB15103 ¹	
CHEV – GMC 1/2 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03660 STB15103 ¹		
CHEV – GMC (CLASSIC BODY STYLE) 1/2 TON ⁵ 1988-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 STB15103 ¹		
CHEV – GMC (NEW BODY STYLE) ⁷ 1/2 TON 1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA04766 STB15103 ¹		
CHEV – GMC 1/2 TON ⁷ 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA04766 STB15103 ¹		
CHEV-GMC 1/2 TON 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	N/A	N/A	N/A
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available. (2) Requires minimum 3600# front GAWR. (3) Requires minimum 3800# front GAWR. (4) Requires minimum 3925# front GAWR. "VYU" package also recommended.		(5) Requires minimum 4250# front GAWR. "VYU" package also recommended. (6) Requires minimum 4500# front GAWR. "VYU" package also recommended. (7) To achieve proper mounting height the air dam/bumper may require cutting. (8) Regular Cab only.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
TRIP-EDGE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
CHEV – GMC 3/4 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03660 STB15103 ¹	TRP07800 TRP15060 LTA03660 STB15103 ¹	
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON ⁴ 1988-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 STB15103 ¹	TRP07800 TRP15060 LTA03656 STB15103 ¹	
CHEV – GMC (CLASSIC BODY STYLE) 3/4 TON CHASSIS CAB ⁴ 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 STB15103 ¹	TRP07800 TRP15060 LTA03656 STB15103 ¹	
CHEV – GMC (NEW BODY STYLE) ^{5,7} 2500 (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA04767B STB15103 ¹	TRP07800 TRP15060 LTA04767B STB15103 ¹	
CHEV – GMC (NEW BODY STYLE) ^{5,7} 2500 CHASSIS CAB (8,600 GVWR) 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA04767B STB15103 ¹	TRP07800 TRP15060 LTA04767B STB15103 ¹	
CHEV – GMC 2500 (8,600 GVWR) ^{5,7} 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA04767B STB15103 ¹	TRP07800 TRP15060 LTA04767B STB15103 ¹	
CHEV – GMC 2500 CHASSIS CAB ^{5,7} (8,600 GVWR) 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA04767B STB15103 ¹	TRP07800 TRP15060 LTA04767B STB15103 ¹	
CHEV – GMC 2500HD ^{6,7} 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ^{9,12} TRP15060 LTA04767B STB15103 ¹	TRP07800 ^{9,11} TRP15060 LTA04767B STB15103 ¹	TRP07899 ^{10,11} TRP15060 LTA04767B STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available. (2) Requires minimum 3600# front GAWR. (3) Requires minimum 3800# front GAWR. (4) Requires minimum 4250# front GAWR. "VYU" package also recommended. (5) Requires minimum 4500# front GAWR. "VYU" package also recommended. (6) Requires minimum 4800# front GAWR. "VYU" package also recommended.		(7) To achieve proper mounting height the air dam/bumper may require cutting. (8) Regular Cab only. (9) Excludes Crew Cab and Extended Cab trucks with Diesel engine. (10) Excludes trucks with Diesel engine. (11) Excludes Crew Cab and Extended Cab trucks with 8.1L Gasoline engine. (12) Excludes Crew Cab and Long Box Extended Cab trucks 8.1L Gasoline engine.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
TRIP-EDGE SNOWPLOWS
GENERAL MOTORS

GENERAL MOTORS 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
CHEV – GMC 2500HD ^{3,7} 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA04767B STB15103 ¹	TRP07800 ⁸ TRP15060 LTA04767B STB15103 ¹	TRP07899 ⁸ TRP15060 LTA04767B STB15103 ¹
CHEV – GMC 1 TON ² 1979-1987	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03660 STB15103 ¹	TRP07800 TRP15060 LTA03660 STB15103 ¹	TRP07899 TRP15060 LTA03660 STB15103 ¹
CHEV – GMC (CLASSIC BODY STYLE) 1 TON ² 1988-2000 Reg. Cab. 1998-2000 Ext. Cab.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 ⁶ STB15103 ¹	TRP07800 TRP15060 LTA03656 ⁶ STB15103 ¹	TRP07899 TRP15060 LTA03656 ⁶ STB15103 ¹
CHEV – GMC (CLASSIC BODY STYLE) 1 TON CHASSIS CAB ² 1988-2000 Reg. Cab	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03656 ⁶ STB15103 ¹	TRP07800 TRP15060 LTA03656 ⁶ STB15103 ¹	TRP07899 TRP15060 LTA03656 ⁶ STB15103 ¹
CHEV – GMC (CLASSIC BODY STYLE) 1 TON DUAL REAR WHL ² 1988-2000 Reg. Cab. 1998-2000 Ext. Cab.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA03656 ⁶ STB15103 ¹
CHEV – GMC CLASSIC BODY STYLE HD 3500 (2WD) ² 1991-1998	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA03675 STB15103 ¹	TRP07899 TRP15060 LTA03675 STB15103 ¹
CHEV – GMC 1 TON ^{3,7} , 1 TON CHASSIS CAB ^{3,7} 2001-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 ⁹ TRP15060 LTA04767B STB15103 ¹	TRP07899 ⁹ TRP15060 LTA04767B STB15103 ¹
CHEV – GMC 1 TON ^{3,7} , 1 TON CHASSIS CAB ^{3,7} 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ¹⁰ TRP15060 LTA04767B STB15103 ¹	TRP07800 ⁸ TRP15060 LTA04767B STB15103 ¹	TRP07899 ⁸ TRP15060 LTA04767B STB15103 ¹
CHEV C4500 ⁴ – C5500 ⁵ 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA05150B STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is available. (2) Requires minimum 4250# front GAWR. "VYU" package also recommended. (3) Requires minimum 4800# front GAWR. "VYU" package also recommended. (4) 2wd requires minimum 6250# front GAWR. 4wd requires minimum 7000# front GAWR for all plows. "VYU" package also recommended. Verify front axle load not exceeded with service body installation.		(5) Requires minimum 7000# front GAWR for 2wd and 4wd trucks. (6) Chevrolet 1 ton vehicles (1988 & 1989) without the 3500 series designation requires the 1979-1987 undercarriage. (7) To achieve proper mounting height the air dam/bumper may require cutting. (8) Excludes trucks with Diesel Engine (9) Excludes Crew Cab and Long Box Extended Cab trucks with Diesel Engine. (10) Excludes Crew Cab and Extended Cab trucks with Diesel Engine. Regular Cab trucks with Diesel Engine limit occupants to driver only.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-VXT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-VXT	9'2" POWER-V XT	10' POWER-V
DODGE DAKOTA ^{2,7} REG CAB SHORT BED 2000-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04902 MSC15100 ¹							
DODGE DURANGO ^{2,7} 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04902 MSC15100 ¹							
DODGE RAM 1/2 TON 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A
DODGE RAM 1/2 TON ³ REG CAB SHORT BED 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹							
DODGE RAM 1/2 TON 1997-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A
DODGE RAM 3/4 RAM ⁴ 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03669 MSC15100 ¹	MSC09908B MSC15000B LTA03669 MSC15100 ¹	MSC10282B MSC15000B LTA03669 MSC15100 ¹					
DODGE RAM 3/4 TON ⁶ 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹					
DODGE RAM 1 TON 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B ⁴ MSC15000B LTA03669 MSC15100 ¹	MSC10282B ⁴ MSC15000B LTA03669 MSC15100 ¹	MSC10182B ⁴ MSC15000B LTA03669 MSC15100 ¹	MSC09909B ⁵ MSC15000B LTA03669 MSC15100 ¹	MSC10292B ⁵ MSC15000B LTA03669 MSC15100 ¹	MSC10192B ⁵ MSC15000B LTA03669 MSC15100 ¹	
DODGE RAM 1 TON ⁶ 1994-1996 GAS ENGINE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹	MSC10182B MSC15000B LTA03666E MSC15100 ¹	MSC09909B MSC15000B LTA03666E MSC15100 ¹	MSC10292B MSC15000B LTA03666E MSC15100 ¹	MSC10192B MSC15000B LTA03666E MSC15100 ¹	
DODGE RAM 3/4 ⁶ & 1 TON ⁶ REG CAB 1997-1999 DIESEL ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹							

- (1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is available.
- (2) Requires minimum 3600# front GAWR. Excludes trucks with 5.9L engine.
- (3) Requires minimum 3850# front GAWR. Heavy Duty Service Group (ADJ) is also recommended with 5.2L & 5.9L engines.

- (4) Requires minimum 4000# front GAWR.
- (5) Requires minimum 4500# front GAWR.
- (6) Requires minimum 4850# front GAWR.
- (7) Trucks with low profile front ends, such as Sport & RT packages, may require cutting or removing the air dam.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-VXT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-VXT	9'2" POWER-V XT	10' POWER-V
DODGE RAM 3/4 ³ & 1 TON ³ REG & QUAD CAB 1997-1999 GAS ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹	MSC10182B MSC15000B LTA03666E MSC15100 ¹				
DODGE RAM 3/4 ³ & 1 TON ³ CHASSIS CAB 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹	MSC10182B MSC15000B LTA03666E MSC15100 ¹				
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB 2000-2002 GAS ENGINE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹	MSC10182B MSC15000B LTA03666E MSC15100 ¹	MSC09909B MSC15000B LTA03666E MSC15100 ¹	MSC10292B ⁸ MSC15000B LTA03666E MSC15100 ¹	MSC10192B ⁸ MSC15000B LTA03666E MSC15100 ¹	
DODGE RAM 3/4 TON ⁴ REG & QUAD CAB 1 TON ⁴ REG CAB 2000-2002 DIESEL ENGINE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B ⁵ MSC15000B LTA03666E MSC15100 ¹	MSC10282B ⁷ MSC15000B LTA03666E MSC15100 ¹	MSC10182B ⁷ MSC15000B LTA03666E MSC15100 ¹	MSC09909B ⁷ MSC15000B LTA03666E MSC15100 ¹	MSC10292B ⁷ MSC15000B LTA03666E MSC15100 ¹	MSC10192B ⁷ MSC15000B LTA03666E MSC15100 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ CHASSIS CAB 2000-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03666E MSC15100 ¹	MSC09908B MSC15000B LTA03666E MSC15100 ¹	MSC10282B MSC15000B LTA03666E MSC15100 ¹	MSC10182B MSC15000B LTA03666E MSC15100 ¹	MSC09909B MSC15000B LTA03666E MSC15100 ¹	MSC10292B ⁷ MSC15000B LTA03666E MSC15100 ¹	MSC10192B ⁷ MSC15000B LTA03666E MSC15100 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB 2003-2011 GAS ENG	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA04770C MSC15100 ¹	MSC09908B MSC15000B LTA04770C MSC15100 ¹	MSC10282B MSC15000B LTA04770C MSC15100 ¹	MSC10182B MSC15000B LTA04770C MSC15100 ¹	MSC09909B MSC15000B LTA04770C MSC15100 ¹	MSC10292B ⁸ MSC15000B LTA04770C MSC15100 ¹	MSC10192B ⁸ MSC15000B LTA04770C MSC15100 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB 2003-2011 DIESEL	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁵ MSC15000B LTA04770C MSC15100 ¹	MSC09908B ⁷ MSC15000B LTA04770C MSC15100 ¹	MSC10282B ⁷ MSC15000B LTA04770C MSC15100 ¹	MSC10182B ⁷ MSC15000B LTA04770C MSC15100 ¹				
DODGE RAM 1 TON ⁴ CHASIS CAB DUAL REAR WHEEL 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B ⁵ MSC15000B LTA04770C MSC15100 ¹	MSC10292B ⁵ MSC15000B LTA04770C MSC15100 ¹	MSC10192B ⁵ MSC15000B LTA04770C MSC15100 ¹	
DODGE RAM 4500/5500 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA09320 MSC15100 ¹	MSC10282B MSC15000B LTA09320 MSC15100 ¹	MSC10182B MSC15000B LTA09320 MSC15100 ¹	MSC09909B MSC15000B LTA09320 MSC15100 ¹	MSC10292B MSC15000B LTA09320 MSC15100 ¹	MSC10192B MSC15000B LTA09320 MSC15100 ¹	MSC09910 MSC15010 LTA09300 MSC15100 ¹
MEDIUM DUTY (14,000-24,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT								MSC09910 MSC15010 LTA07667B MSC15100 ¹

- (1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is available.
- (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding.
- (3) Requires minimum 4850# front GAWR.
- (4) Requires minimum 5200# front GAWR.

- (5) Excludes trucks with Diesel Engines.
- (6) Excludes 3 / 4 & 1 Ton, Quad Cab, Diesel Engine, Long Box.
- (7) Excludes 3 / 4 & 1 Ton, Quad Cab with Diesel Engine.
- (8) Excludes Quad Cab with 8.0L V10 Gasoline Engine.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

STRAIGHT BLADE SNOWPLOWS

DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
DODGE DAKOTA ^{2,8} 2000-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA04902 STB15103 ¹	STB03262 STB15020 LTA04902 STB15103 ¹	STB03166 ⁹ STB15020 LTA04902 STB15103 ¹								
DODGE DURANGO ^{2,8} 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA04902 STB15103 ¹	STB03262 STB15020 LTA04902 STB15103 ¹	STB03166 STB15020 LTA04902 STB15103 ¹								
DODGE RAM 1/2 TON ⁵ 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03669 STB15103 ¹	STB03262 STB15020 LTA03669 STB15103 ¹	STB03166 STB15020 LTA03669 STB15103 ¹								
DODGE RAM 1/2 TON ³ REG CAB SHORT BED 1994-2001	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03666E STB15103 ¹	STB03262 STB15020 LTA03666E STB15103 ¹	STB03166 STB15020 LTA03666E STB15103 ¹								
DODGE RAM 1/2 TON ^{4,8} REG CAB SHORT BED 2002-2005	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA04874B STB15103 ¹	STB03262 STB15020 LTA04874B STB15103 ¹	STB03166 ¹⁰ STB15020 LTA04874B STB15103 ¹								
DODGE RAM 1/2 TON ^{4,8} REG CAB SHORT BED 2006-2008	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA09823 STB15103 ¹	STB03262 STB15020 LTA09823 STB15103 ¹									
DODGE RAM 1/2 TON 2009-2010	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DODGE RAM 3/4 TON ⁵ 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03669 STB15103 ¹	STB03262 STB15020 LTA03669 STB15103 ¹	STB03166 STB15020 LTA03669 STB15103 ¹	STB03266 STB15020 LTA03669 STB15103 ¹	STB03167 STB15020 LTA03669 STB15103 ¹	STB09980 STB15020 LTA03669 STB15103 ¹					
DODGE RAM 3/4 TON ⁷ 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03666E STB15103 ¹	STB03262 STB15020 LTA03666E STB15103 ¹	STB03166 STB15020 LTA03666E STB15103 ¹	STB03266 STB15020 LTA03666E STB15103 ¹	STB03167 STB15020 LTA03666E STB15103 ¹	STB09980 STB15020 LTA03666E STB15103 ¹					
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 3600# front GAWR. Excludes trucks with 5.9L engine. (3) Requires minimum 3850# front GAWR. Heavy Duty Service Group (ADJ) is also recommended with 5.2L & 5.9L engines. (4) Requires minimum 3900# front GAWR. Excludes trucks with 5.9L engine (5) Requires minimum 4000# front GAWR.						(6) Requires minimum 4500# front GAWR. (7) Requires minimum 4850# front GAWR. (8) Trucks with low profile front ends, such as Sport & RT packages, may require cutting or removing the air dam. (9) Excludes Dakota Quad Cab. (10) Restricted to 1500 ST, Regular Cab, 4x4, Short Box. (11) Excludes trucks with 5.7L engine.						

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

STRAIGHT BLADE SNOWPLOWS

DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
DODGE RAM 1 TON 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ⁵ STB15020 LTA03669 STB15103 ¹	STB03266 ⁵ STB15020 LTA03669 STB15103 ¹	STB03167 ⁵ STB15020 LTA03669 STB15103 ¹	STB09980 ⁵ STB15020 LTA03669 STB15103 ¹	STB03168 ⁵ STB15020 LTA03669 STB15103 ¹	STB09986 ⁵ STB15020 LTA03669 STB15103 ¹	STB03236 ⁶ STB15020 LTA03669 STB15103 ¹	STB09990 ⁶ STB15020 LTA03669 STB15103 ¹	
DODGE RAM 1 TON ² 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ⁵ STB15020 LTA03666E STB15103 ¹	STB03266 ⁵ STB15020 LTA03666E STB15103 ¹	STB03167 ⁵ STB15020 LTA03666E STB15103 ¹	STB09980 ⁵ STB15020 LTA03666E STB15103 ¹	STB03168 ⁵ STB15020 LTA03666E STB15103 ¹	STB09986 ⁵ STB15020 LTA03666E STB15103 ¹	STB03236 ⁶ STB15020 LTA03666E STB15103 ¹	STB09990 ⁶ STB15020 LTA03666E STB15103 ¹	
DODGE RAM 3/4 ³ & 1 TON ³ REG CAB 1997-1999 DIESEL ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03666E STB15103 ¹	STB03266 STB15020 LTA03666E STB15103 ¹	STB03167 STB15020 LTA03666E STB15103 ¹						
DODGE RAM 3/4 ³ & 1 TON ³ REG & QUAD CAB 1997-1999 GAS ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03666E STB15103 ¹	STB0326 STB15020 LTA03666E STB15103 ¹	STB03167 STB15020 LTA03666E STB15103 ¹	STB09980 STB15020 LTA03666E STB15103 ¹	STB03168 STB15020 LTA03666E STB15103 ¹				
DODGE RAM 3/4 ³ & 1 TON ³ CHASSIS CAB 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03666E STB15103 ¹	STB03266 STB15020 LTA03666E STB15103 ¹	STB03167 STB15020 LTA03666E STB15103 ¹	STB09980 STB15020 LTA03666E STB15103 ¹	STB03168 STB15020 LTA03666E STB15103 ¹				
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB 2000-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03666E STB15103 ¹	STB03266 ⁹ STB15020 LTA03666E STB15103 ¹	STB03167 ⁹ STB15020 LTA03666E STB15103 ¹	STB09980 ⁹ STB15020 LTA03666E STB15103 ¹	STB03168 ⁷ STB15020LT A03666E STB15103 ¹	STB09986 ⁷ STB15020 LTA03666E STB15103 ¹	STB03236 ⁷ STB15020 LTA03666E STB15103 ¹	STB09990 ⁷ STB15020 LTA03666E STB15103 ¹	
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 4850# front GAWR. (4) Requires minimum 5200# front GAWR.							(5) Excludes trucks with Diesel Engines. (6) Excludes 3 / 4 & 1 Ton, Quad Cab, Diesel Engine, Long Box. (7) Excludes 3 / 4 & 1 Ton, Quad Cab with Diesel Engine. (8) Excludes 3 / 4 Ton with Diesel Engine. (9) Excludes 1 Ton, Quad Cab with Diesel Engine.					

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



**2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
DODGE**

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
DODGE RAM 3/4 ⁴ & 1 TON ⁴ CHASSIS CAB 2000-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03666E STB15103 ¹	STB03266 STB15020 LTA03666E STB15103 ¹	STB03167 STB15020 LTA03666E STB15103 ¹	STB09980 STB15020 LTA03666E STB15103 ¹	STB03168 STB15020 LTA03666E STB15103 ¹	STB09986 STB15020 LTA03666E STB15103 ¹	STB03236 STB15020 LTA03666E STB15103 ¹	STB09990 STB15020 LTA03666E STB15103 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB GAS ENG. 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA04770C STB15103 ¹	STB03266 STB15020 LTA04770C STB15103 ¹	STB03167 STB15020 LTA04770C STB15103 ¹	STB09980 STB15020 LTA04770C STB15103 ¹	STB03168 STB15020 LTA04770C STB15103 ¹	STB09986 STB15020 LTA04770C STB15103 ¹	STB03236 STB15020 LTA04770C STB15103 ¹	STB09990 STB15020 LTA04770C STB15103 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB DIESEL ENG. 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ⁷ STB15020 LTA04770C STB15103 ¹	STB03266 ⁷ STB15020 LTA04770C STB15103 ¹	STB03167 ⁷ STB15020 LTA04770C STB15103 ¹	STB09980 ⁷ STB15020 LTA04770C STB15103 ¹	STB03168 ⁷ STB15020 LTA04770C STB15103 ¹		STB03236 ⁷ STB15020 LTA04770C STB15103 ¹		
DODGE RAM 1 TON ⁴ CHASIS CAB DUAL REAR WHEEL 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA04770C STB15103 ¹	STB09990 STB15020 LTA04770C STB15103 ¹	
DODGE RAM 4500/5500 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09320 STB15103 ¹	STB03167 STB15020 LTA09320 STB15103 ¹	STB09980 STB15020 LTA09320 STB15103 ¹	STB03168 STB15020 LTA09320 STB15103 ¹	STB09986 STB15020 LTA09320 STB15103 ¹	STB03236 STB15020 LTA09320 STB15103 ¹	STB09990 STB15020 LTA09320 STB15103 ¹	STB07738 STB15050 LTA09300 STB15103 ¹
MEDIUM DUTY (14,000-27,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT											STB07738 STB15050 LTA07667B STB15103 ¹
(1) STB15103 is the standard Hand Held Control on the Straight Blade. Optional Joystick Control STB15104 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 4850# front GAWR. (4) Requires minimum 5200# front GAWR.							(5) Excludes trucks with Diesel Engines. (6) Excludes 3 / 4 & 1 Ton, Quad Cab, Diesel Engine, Long Box. (7) Excludes 3 / 4 & 1 Ton, Quad Cab with Diesel Engine. (8) Excludes 3 / 4 Ton with Diesel Engine. (9) Excludes 1 Ton, Quad Cab with Diesel Engine.					

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplov.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
TRIP-EDGE SNOWPLOWS
DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
DODGE RAM 3/4 TON ² 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03669 STB15103 ¹	TRP07800 TRP15060 LTA03669 STB15103 ¹	
DODGE RAM 3/4 TON ⁴ 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03666E STB15103 ¹	TRP07800 TRP15060 LTA03666E STB15103 ¹	
DODGE RAM 1 TON 1973-1993	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ² TRP15060 LTA03669 STB15103 ¹	TRP07800 ² TRP15060 LTA03669 STB15103 ¹	TRP07899 ³ TRP15060 LTA03669 STB15103 ¹
DODGE RAM 1 TON ⁴ 1994-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA03666E STB15103 ¹	TRP07800 ⁵ TRP15060 LTA03666E STB15103 ¹	TRP07899 ⁶ TRP15060 LTA03666E STB15103 ¹
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG CAB 1997-1999 DIESEL ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03666E STB15103 ¹		
DODGE RAM 3/4 ⁴ & 1 TON ⁴ REG & QUAD CAB 1997-1999 GAS ENG.	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03666E STB15103 ¹	TRP07800 TRP15060 LTA03666E STB15103 ¹	
DODGE RAM 3/4 ⁴ & 1 TON ⁴ CHASSIS CAB 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03666E STB15103 ¹	TRP07800 TRP15060 LTA03666E STB15103 ¹	
DODGE RAM 3/4 ⁵ & 1 TON ⁵ REG & QUAD CAB 2000-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁷ TRP15060 LTA03666E STB15103 ¹	TRP07800 ⁷ TRP15060 LTA03666E STB15103 ¹	TRP07899 ⁷ TRP15060 LTA03666E STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 4000# front GAWR. (3) Requires minimum 4500# front GAWR. (4) Requires minimum 4850# front GAWR.		(5) Requires minimum 5200# front GAWR. (6) Excludes trucks with Diesel Engines. (7) Excludes 3 / 4 Ton & 1 Ton, Quad Cab, Diesel Engine, Long Box (8) Excludes Club Cab trucks with Diesel Engine.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
TRIP-EDGE SNOWPLOWS
DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
DODGE RAM 3/4 ² & 1 TON ² CHASSIS CAB 2000-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03666E STB15103 ¹	TRP07800 TRP15060 LTA03666E STB15103 ¹	TRP07899 TRP15060 LTA03666E STB15103 ¹
DODGE RAM 3/4 ² & 1 TON ² REG & QUAD CAB GAS ENG. 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA04770C STB15103 ¹	TRP07800 TRP15060 LTA04770C STB15103 ¹	TRP07899 TRP15060 LTA04770C STB15103 ¹
DODGE RAM 3/4 ² & 1 TON ² REG & QUAD CAB DIESEL 2003-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁴ TRP15060 LTA04770C STB15103 ¹	TRP07800 ⁵ TRP15060 LTA04770C STB15103 ¹	
DODGE RAM 1 TON ² CHASIS CAB DUAL REAR WHEEL 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 ³ TRP15060 LTA04770C STB15103 ¹
DODGE RAM 4500/5500 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09320 STB15103 ¹	TRP07899 TRP15060 LTA09320 STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 5200# front GAWR. (3) Excludes trucks with Diesel Engines.		(4) Excludes 3 / 4 & 1 Ton, Quad Cab, Diesel Engine, Long Box. (5) Excludes 3 / 4 Ton, Quad Cab with Diesel Engine.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
FORD

FORD 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
FORD EXPEDITION ⁶ 1997-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ¹³ MSC15000B LTA03653B MSC15100 ¹							
FORD F150 ⁷ 1981-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03674 MSC15100 ¹							
FORD F150 ⁴ 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03648 MSC15100 ¹							
FORD F150 ⁵ & F250 ⁶ UNDER 8,500 GVWR 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03653B MSC15100 ¹							
FORD F150 ⁷ REG & SUPER CAB 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03653B MSC15100 ¹	MSC09908B MSC15000B LTA03653B MSC15100 ¹						
FORD F150 2004-2010	BLADE CRATE PLOW BOX U.C. KIT CONTROL KIT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
FORD EXCURSION ¹⁰ 2000-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B MSC15000B LTA03654C MSC15100 ¹	MSC09908B ¹² MSC15000B LTA03654C MSC15100 ¹	MSC10282B ¹² MSC15000B LTA03654C MSC15100 ¹	MSC10182B ¹² MSC15000B LTA03654C MSC15100 ¹	MSC09909B ¹² MSC15000B LTA03654C MSC15100 ¹	MSC10292B ¹² MSC15000B LTA03654C MSC15100 ¹	MSC10192B ¹² MSC15000B LTA03654C MSC15100 ¹	
FORD F250 & F350 (GAS ONLY) 1980-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁸ MSC15000B LTA03674 MSC15100 ¹	MSC09908B ⁸ MSC15000B LTA03674 MSC15100 ¹	MSC10282B ⁸ MSC15000B LTA03674 MSC15100 ¹	MSC10182B ⁸ MSC15000B LTA03674 MSC15100 ¹	MSC09909B ⁹ MSC15000B LTA03674 MSC15100 ¹	MSC10292B ⁹ MSC15000B LTA03674 MSC15100 ¹	MSC10192B ⁹ MSC15000B LTA03674 MSC15100 ¹	
FORD ¹¹ F250 & F350 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC09908B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC10282B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC10182B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC09909B ⁹ MSC15000B LTA03643 MSC15100 ¹	MSC10292B ⁹ MSC15000B LTA03643 MSC15100 ¹	MSC10192B ⁹ MSC15000B LTA03643 MSC15100 ¹	
FORD F250HD ¹² & F350 ¹¹ OVER 8,500 GVWR 1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC09908B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC10282B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC10182B ⁸ MSC15000B LTA03643 MSC15100 ¹	MSC09909B ⁹ MSC15000B LTA03643 MSC15100 ¹	MSC10292B ⁹ MSC15000B LTA03643 MSC15100 ¹	MSC10192B ⁹ MSC15000B LTA03643 MSC15100 ¹	

(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.

(2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding.

(3) Requires minimum 3500# front GAWR.

(4) Requires minimum 3800# front GAWR.

(5) Requires minimum 3900# front GAWR.

(6) Requires minimum 3950# front GAWR.

(7) Requires minimum 4150# front GAWR.

(8) Requires minimum 4600# front GAWR.

(9) Requires minimum 5000# front GAWR. (Not available on F-250 vehicles).

(10) Requires minimum 5200# front GAWR.

(11) Diesel engine Regular Cab only. This note does not apply to 2005 & newer Super Duty.

(12) Excludes vehicles with 7.3L Diesel Engine.

(13) Excludes 5.4L Gasoline Engine

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
FORD F350 ⁸ W/DUAL REAR WHEELS & SUPER DUTY 1999-1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B ² MSC15000B LTA03643 MSC15100 ¹	MSC10282B ² MSC15000B LTA03643 MSC15100 ¹	MSC10182B ² MSC15000B LTA03643 MSC15100 ¹	MSC09909B ³ MSC15000B LTA03643 MSC15100 ¹	MSC10292B ³ MSC15000B LTA03643 MSC15100 ¹	MSC10192B ³ MSC15000B LTA03643 MSC15100 ¹	
FORD SUPER DUTY F250 PICKUP ⁴ REG / SUPER / CREW ⁷ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 MSC15000B LTA03654C MSC15100 ¹	MSC09908B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC10282B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC10182B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC09909B ⁷ MSC15000B LTA03654C MSC15100 ¹	MSC10292B ⁷ MSC15000B LTA03654C MSC15100 ¹	MSC10192B ⁷ MSC15000B LTA03654C MSC15100 ¹	
FORD SUPER DUTY F350 PICKUP ⁴ REG / SUPER / CREW ⁷ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 MSC15000B LTA03654C MSC15100 ¹	MSC09908B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC10282B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC10182B ⁸ MSC15000B LTA03654C MSC15100 ¹	MSC09909B ⁷ MSC15000B LTA03654C MSC15100 ¹	MSC10292B ⁷ MSC15000B LTA03654C MSC15100 ¹	MSC10192B ⁷ MSC15000B LTA03654C MSC15100 ¹	
FORD SUPER DUTY F350 CHASSIS CAB ⁴ REG / SUPER / CREW ⁷ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA03654C MSC15100 ¹	MSC10282B MSC15000B LTA03654C MSC15100 ¹	MSC10182B MSC15000B LTA03654C MSC15100 ¹	MSC09909B MSC15000B LTA03654C MSC15100 ¹	MSC10292B MSC15000B LTA03654C MSC15100 ¹	MSC10192B MSC15000B LTA03654C MSC15100 ¹	
FORD SUPER DUTY F250 & F350 REG ³ / SUPER ⁷ / CREW ⁶ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 MSC15000B LTA09060 MSC15100 ¹	MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	
FORD SUPER DUTY F250 ⁶ / F350 ⁶ / F450 ⁶ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 ⁹ MSC15000B LTA09060 MSC15100 ¹	MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	
FORD SUPER DUTY F350 CHASSIS CAB REG ⁴ / SUPER ⁵ / CREW ⁵ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 MSC15000B LTA09060 MSC15100 ¹	MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	
FORD SUPER DUTY F350 CHASSIS CAB ⁶ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	MSC09907 MSC15000B LTA09060 MSC15100 ¹	MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	
FORD SUPER DUTY F450 CHASSIS CAB ⁶ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA03654C MSC15100 ¹	MSC10282B MSC15000B LTA03654C MSC15100 ¹	MSC10182B MSC15000B LTA03654C MSC15100 ¹	MSC09909B MSC15000B LTA03654C MSC15100 ¹	MSC10292B MSC15000B LTA03654C MSC15100 ¹	MSC10192B MSC15000B LTA03654C MSC15100 ¹	MSC09910 MSC15010 LTA07661B MSC15100 ¹

- (1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.
- (2) Requires minimum 4600# front GAWR.
- (3) Requires minimum 5000# front GAWR. (Not available on F-250 vehicles).
- (4) Requires minimum 5200# front GAWR.
- (5) Requires minimum 5600# front GAWR.

- (6) Requires minimum 6000# front GAWR.
- (7) Except vehicles with Diesel Engines. This note does not apply to 2005 & newer Super Duty with a minimum 6000# front GAWR.
- (8) Diesel engine available for snowplows only with Regular Cab trucks. This note does not apply to 2005 & newer Super Duty.
- (9) Excludes F450

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
FORD SUPER DUTY F450 CHASSIS CAB ⁴ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA03654C MSC15100 ¹	MSC10282B MSC15000B LTA03654C MSC15100 ¹	MSC10182B MSC15000B LTA03654C MSC15100 ¹	MSC09909B MSC15000B LTA03654C MSC15100 ¹	MSC10292B MSC15000B LTA03654C MSC15100 ¹	MSC10192B MSC15000B LTA03654C MSC15100 ¹	MSC09910 MSC15010 LTA07661B MSC15100 ¹
FORD SUPER DUTY F450 CHASSIS CAB ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	MSC09910 MSC15010 LTA09070 MSC15100 ¹
FORD SUPER DUTY F450 CHASSIS CAB REG ⁴ / SUPER ⁵ / CREW ⁶ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA09060 MSC15100 ¹	MSC10282B MSC15000B LTA09060 MSC15100 ¹	MSC10182B MSC15000B LTA09060 MSC15100 ¹	MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	MSC09910 MSC15010 LTA09070 MSC15100 ¹
FORD SUPER DUTY F550 CHASSIS CAB ⁴ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B MSC15000B LTA03654C MSC15100 ¹	MSC10292B MSC15000B LTA03654C MSC15100 ¹	MSC10192B MSC15000B LTA03654C MSC15100 ¹	MSC09910 MSC15010 LTA07661B MSC15100 ¹
FORD SUPER DUTY F550 CHASSIS CAB ⁴ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B MSC15000B LTA03654C MSC15100 ¹	MSC10292B MSC15000B LTA03654C MSC15100 ¹	MSC10192B MSC15000B LTA03654C MSC15100 ¹	MSC09910 MSC15010 LTA07661B MSC15100 ¹
FORD SUPER DUTY F550 CHASSIS CAB ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	MSC09910 MSC15010 LTA09070 MSC15100 ¹
FORD SUPER DUTY F550 CHASSIS CAB REG ⁴ / SUPER ⁵ / CREW ⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT					MSC09909B MSC15000B LTA09060 MSC15100 ¹	MSC10292B MSC15000B LTA09060 MSC15100 ¹	MSC10192B MSC15000B LTA09060 MSC15100 ¹	MSC09910 MSC15010 LTA09070 MSC15100 ¹
MEDIUM DUTY (14,000-24,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT								MSC09910 MSC15010 LTA07667B MSC15100 ¹
(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 5600# front GAWR.					(4) Requires minimum 6000# front GAWR (5) Requires minimum 6500# front GAWR. (6) Requires minimum 7000# front GAWR.				

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

STRAIGHT BLADE SNOWPLOWS

FORD

FORD SERIES 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
Ford EXPEDITION ⁶ 1997-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03653B STB15103 ¹	STB03262 STB15020 LTA03653B STB15103 ¹	STB03166 STB15020 LTA03653B STB15103 ¹								
FORD F150 ³ 1981-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03674 STB15103 ¹	STB03262 STB15020 LTA03674 STB15103 ¹	STB03166 STB15020 LTA03674 STB15103 ¹								
FORD F150 ⁴ 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03648 STB15103 ¹	STB03262 STB15020 LTA03648 STB15103 ¹	STB03166 STB15020 LTA03648 STB15103 ¹								
FORD F150 ⁵ & F250 ⁶ UNDER 8,500 GVWR 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03653B STB15103 ¹	STB03262 STB15020 LTA03653B STB15103 ¹	STB03166 STB15020 LTA03653B STB15103 ¹								
FORD F150 ⁷ REG & SUPER CAB 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03653B STB15103 ¹	STB03262 STB15020 LTA03653B STB15103 ¹	STB03166 STB15020 LTA03653B STB15103 ¹	STB03266 STB15020 LTA03653B STB15103 ¹	STB03167 STB15020 LTA03653B STB15103 ¹						
FORD F150 ⁸ REG & SUPER CAB 2004-2008	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA05300 STB15103 ¹	STB03262 STB15020 LTA05300 STB15103 ¹	STB03166 STB15020 LTA05300 STB15103 ¹								
FORD F150 ⁸ REG & SUPER CAB 2009-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA09163 STB15103 ¹	STB03262 STB15020 LTA09163 STB15103 ¹	STB03166 STB15020 LTA09163 STB15103 ¹								
FORD EXCURSION ¹¹ 2000-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03654C STB15103 ¹	STB03262 STB15020 LTA03654C STB15103 ¹	STB03166 STB15020 LTA03654C STB15103 ¹	STB03266 ¹³ STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 ¹³ STB15020 LTA03654C STB15103 ¹	STB03168 ¹³ STB15020 LTA03654C STB15103 ¹	STB09986 ¹³ STB15020 LTA03654C STB15103 ¹	STB03236 ¹³ STB15020 LTA03654C STB15103 ¹	STB09990 ¹³ STB15020 LTA03654C STB15103 ¹	
FORD F250 & F350 (GAS ONLY) 1980-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁹ STB15020 LTA03674 STB15103 ¹	STB03262 ⁹ STB15020 LTA03674 STB15103 ¹	STB03166 ⁹ STB15020 LTA03674 STB15103 ¹	STB03266 ⁹ STB15020 LTA03674 STB15103 ¹	STB03167 ⁹ STB15020 LTA03674 STB15103 ¹	STB09980 ⁹ STB15020 LTA03674 STB15103 ¹	STB03168 ⁹ STB15020 LTA03674 STB15103 ¹	STB09986 ⁹ STB15020 LTA03674 STB15103 ¹	STB03236 ¹⁰ STB15020 LTA03674 STB15103 ¹	STB09990 ¹⁰ STB15020 LTA03674 STB15103 ¹	
FORD ¹² F250 & F350 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 ⁹ STB15020 LTA03643 STB15103 ¹	STB03262 ⁹ STB15020 LTA03643 STB15103 ¹	STB03166 ⁹ STB15020 LTA03643 STB15103 ¹	STB03266 ⁹ STB15020 LTA03643 STB15103 ¹	STB03167 ⁹ STB15020 LTA03643 STB15103 ¹	STB09980 ⁹ STB15020 LTA03643 STB15103 ¹	STB03168 ⁹ STB15020 LTA03643 STB15103 ¹	STB09986 ⁹ STB15020 LTA03643 STB15103 ¹	STB03236 ¹⁰ STB15020 LTA03643 STB15103 ¹	STB09990 ¹⁰ STB15020 LTA03643 STB15103 ¹	

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.

(2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding.

(3) Requires minimum 3500# front GAWR.

(4) Requires minimum 3800# front GAWR.

(5) Requires minimum 3900# front GAWR.

(6) Requires minimum 3950# front GAWR.

(7) Requires minimum 4150# front GAWR.

(8) Requires minimum 4300# front GAWR.

(9) Requires minimum 4600# front GAWR.

(10) Requires minimum 5000# front GAWR. (Not available on F-250 vehicles).

(11) Requires minimum 5200# front GAWR.

(12) Diesel engine available for snowplows only with Regular Cab trucks. This note does not apply to 2005 & newer Super Duty.

(13) Excludes vehicles with 7.3L Diesel Engine.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

STRAIGHT BLADE SNOWPLOWS

FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
FORD F250HD¹² & F350 OVER 8,500 GVWR 1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ⁸ STB15020 LTA03643 STB15103 ¹	STB03266 ⁸ STB15020 LTA03643 STB15103 ¹	STB03167 ⁸ STB15020 LTA03643 STB15103 ¹	STB09980 ⁸ STB15020 LTA03643 STB15103 ¹	STB03168 ⁸ STB15020 LTA03643 STB15103 ¹	STB09986 ⁸ STB15020 LTA03643 STB15103 ¹	STB03236 ⁷ STB15020 LTA03643 STB15103 ¹	STB09990 ⁹ STB15020 LTA03643 STB15103 ¹	
FORD F350⁶ W/DUAL REAR WHEELS & SUPER DUTY 1992-1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03643 STB15103 ¹	STB03266 STB15020 LTA03643 STB15103 ¹	STB03167 STB15020 LTA03643 STB15103 ¹	STB09980 STB15020 LTA03643 STB15103 ¹	STB03168 STB15020 LTA03643 STB15103 ¹	STB09986 STB15020 LTA03643 STB15103 ¹	STB03236 STB15020 LTA03643 STB15103 ¹	STB09990 STB15020 LTA03643 STB15103 ¹	
FORD SUPER DUTY F250² PICKUP REG / SUPER / CREW ⁵ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB03165 STB15020 LTA03654C STB15103 ¹	STB03262 STB15020 LTA03654C STB15103 ¹	STB03166 STB15020 LTA03654C STB15103 ¹	STB03266 STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 STB15020 LTA03654C STB15103 ¹	STB03168 ⁶ STB15020 LTA03654C STB15103 ¹	STB09986 ⁶ STB15020 LTA03654C STB15103 ¹	STB03236 ⁵ STB15020 LTA03654C STB15103 ¹	STB09990 ⁵ STB15020 LTA03654C STB15103 ¹	
FORD SUPER DUTY F350² PICKUP REG / SUPER / CREW ⁵ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA03654C STB15103 ¹	STB03266 STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 STB15020 LTA03654C STB15103 ¹	STB03168 ⁶ STB15020 LTA03654C STB15103 ¹	STB09986 ⁶ STB15020 LTA03654C STB15103 ¹	STB03236 ⁵ STB15020 LTA03654C STB15103 ¹	STB09990 ⁵ STB15020 LTA03654C STB15103 ¹	
FORD SUPER DUTY F350 CHASSIS CAB³ REG / SUPER / CREW ⁵ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 STB15020 LTA03654C STB15103 ¹	STB03168 STB15020 LTA03654C STB15103 ¹	STB09986 STB15020 LTA03654C STB15103 ¹	STB03236 STB15020 LTA03654C STB15103 ¹	STB09990 STB15020 LTA03654C STB15103 ¹	
FORD SUPER DUTY F250 & F350 GAS. ENG. REG ² / SUPER ² / CREW ³ 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA09060 STB15103 ¹	STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F250⁴ / F350⁴ / F450⁴ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 ⁷ STB15020 LTA09060 STB15103 ¹	STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F350 CHASSIS CAB REG ² / SUPER ³ / CREW ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			STB03166 STB15020 LTA09060 STB15103 ¹	STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F350 CHASSIS CAB⁴ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F450 CHASSIS CAB⁴ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 STB15020 LTA03654C STB15103 ¹	STB03168 STB15020 LTA03654C STB15103 ¹	STB09986 STB15020 LTA03654C STB15103 ¹	STB03236 STB15020 LTA03654C STB15103 ¹	STB09990 STB15020 LTA03654C STB15103 ¹	

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.

(2) Requires minimum 5200# front GAWR.

(3) Requires minimum 5600# front GAWR.

(4) Requires minimum 6000# front GAWR.

(5) Except vehicles with Diesel Engines. This note does not apply to 2005 & newer Super Duty with a minimum 6000# front GAWR.

(6) Diesel engine available for snowplows only with Regular Cab trucks. This note does not apply to 2005 & newer Super Duty.

(7) Excludes F450

(8) Requires minimum 4600# front GAWR

(9) Requires minimum 5000# front GAWR

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

STRAIGHT BLADE SNOWPLOWS

FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
FORD SUPER DUTY F450 CHASSIS CAB ⁴ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA03654C STB15103 ¹	STB03167 STB15020 LTA03654C STB15103 ¹	STB09980 STB15020 LTA03654C STB15103 ¹	STB03168 STB15020 LTA03654C STB15103 ¹	STB09986 STB15020 LTA03654C STB15103 ¹	STB03236 STB15020 LTA03654C STB15103 ¹	STB09990 STB15020 LTA03654C STB15103 ¹	
FORD SUPER DUTY F450 CHASSIS CAB ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F450 CHASSIS CAB REG ⁴ / SUPER ² / CREW ⁶ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09060 STB15103 ¹	STB03167 STB15020 LTA09060 STB15103 ¹	STB09980 STB15020 LTA09060 STB15103 ¹	STB03168 STB15020 LTA09060 STB15103 ¹	STB09986 STB15020 LTA09060 STB15103 ¹	STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	
FORD SUPER DUTY F550 CHASSIS CAB ⁴ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA03654C STB15103 ¹	STB09990 STB15020 LTA03654C STB15103 ¹	STB07738 STB15050 LTA07661B STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB ⁴ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA03654C STB15103 ¹	STB09990 STB15020 LTA03654C STB15103 ¹	STB07738 STB15050 LTA07661B STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	STB07738 STB15050 LTA09070 STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB REG ⁴ / SUPER ² / CREW ⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT									STB03236 STB15020 LTA09060 STB15103 ¹	STB09990 STB15020 LTA09060 STB15103 ¹	STB07738 STB15050 LTA09070 STB15103 ¹
MEDIUM DUTY (14,000-27,000 GVWR) UNIVERSAL ² UNDERCARRIAGE	BLADE CRATE PLOW BOX UC KIT CONTROL KIT											STB07738 STB15050 LTA07667B STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 5600# front GAWR. (4) Requires minimum 6000# front GAWR.						(5) Requires minimum 6500# front GAWR. (6) Requires minimum 7000# front GAWR.						

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

TRIP-EDGE SNOWPLOWS

FORD

FORD 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
FORD F150 ³ 1981-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03674 STB15103 ¹		
FORD F150 ⁴ 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03648 STB15103 ¹		
FORD F150 ⁵ & F250 ⁶ UNDER 8,500 GVWR 1997-1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03653B STB15103 ¹		
FORD F150 ⁷ REG & SUPER CAB 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA03653B STB15103 ¹		
FORD EXCURSION ¹⁰ 2000-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ¹² TRP15060 LTA03654C STB15103 ¹	TRP07800 ¹² TRP15060 LTA03654C STB15103 ¹	TRP07899 ¹² TRP15060 LTA03654C STB15103 ¹
FORD F250 & F350 (GAS ONLY) 1980-1991	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA03674 STB15103 ¹	TRP07800 ⁸ TRP15060 LTA03674 STB15103 ¹	TRP07899 ⁹ TRP15060 LTA03674 STB15103 ¹
FORD ¹¹ F250 & F350 1992-1996	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA03643 STB15103 ¹	TRP07800 ⁸ TRP15060 LTA03643 STB15103 ¹	TRP07899 ⁹ TRP15060 LTA03643 STB15103 ¹
FORD F250HD ¹¹ & F350 ¹¹ OVER 8,500 GVWR 1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ⁸ TRP15060 LTA03643 STB15103 ¹	TRP07800 ⁸ TRP15060 LTA03643 STB15103 ¹	TRP07899 ⁹ TRP15060 LTA03643 STB15103 ¹
FORD F350 ¹¹ W/DUAL REAR WHEELS & SUPER DUTY 1992-1997	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA03643 STB15103 ¹	TRP07899 TRP15060 LTA03643 STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 3500# front GAWR. (4) Requires minimum 3800# front GAWR. (5) Requires minimum 3900# front GAWR. (6) Requires minimum 3950# front GAWR. (7) Requires minimum 4150# front GAWR.		(8) Requires minimum 4600# front GAWR. (9) Requires minimum 5000# front GAWR. (Not available on F-250 vehicles). (10) Requires minimum 5200# front GAWR. (11) Diesel engine available for snowplows only with Regular Cab trucks. This note does not apply to 2005 & newer Super Duty. (12) Excludes vehicles with 7.3L Diesel Engine.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

TRIP-EDGE SNOWPLOWS

FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
FORD SUPER DUTY F250 PICKUP REG / SUPER / CREW ⁶ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ³ TRP15060 LTA03654C STB15103 ¹	TRP07800 ^{3,7} TRP15060 LTA03654C STB15103 ¹	TRP07899 ⁶ TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F350 PICKUP REG / SUPER / CREW ⁶ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 ³ TRP15060 LTA03654C STB15103 ¹	TRP07800 ^{3,7} TRP15060 LTA03654C STB15103 ¹	TRP07899 ⁶ TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F350 CHASSIS CAB ³ REG / SUPER / CREW ⁶ 1999-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA03654C STB15103 ¹	TRP07899 TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F250 & F350 GAS. ENG. REG ³ / SUPER ³ / CREW ⁴ 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA09060 STB15103 ¹	TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F250⁵ / F350⁵ / F450⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	TRP07870 TRP15060 LTA09060 STB15103 ¹	TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F350 CHASSIS CAB REG ³ / SUPER ⁴ / CREW ⁴ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F350 CHASSIS CAB ⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F450 CHASSIS CAB ⁵ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA03654C STB15103 ¹	TRP07899 TRP15060 LTA03654C STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Universal undercarriages will require extra shop time for installation due to additional cutting and welding. (3) Requires minimum 5200# front GAWR. (4) Requires minimum 5600# front GAWR.		(5) Requires minimum 6000# front GAWR. (6) Except vehicles with Diesel Engines. This note does not apply to 2005 & newer Super Duty with a minimum 6000# front GAWR. (7) Diesel engine available for snowplows only with Regular Cab trucks. This note does not apply to 2005 & newer Super Duty.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

TRIP-EDGE SNOWPLOWS

FORD

FORD 4X4 & 4X2 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
FORD SUPER DUTY F450 CHASSIS CAB ³ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA03654C STB15103 ¹	TRP07899 TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F450 CHASSIS CAB ² GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F450 CHASSIS CAB REG ³ / SUPER ⁴ / CREW ⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09060 STB15103 ¹	TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB ³ REG / SUPER / CREW 1999-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB ³ REG / SUPER / CREW 2001-2007	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA03654C STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB ³ GAS. ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA09060 STB15103 ¹
FORD SUPER DUTY F550 CHASSIS CAB REG ³ / SUPER ⁴ / CREW ⁵ DIESEL ENGINE 2008-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT			TRP07899 TRP15060 LTA09060 STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 5600# front GAWR. (3) Requires minimum 6000# front GAWR. (4) Requires minimum 6500# front GAWR.		(5) Requires minimum 7000# front GAWR.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE

POWER-V SNOWPLOWS

MITSUBISHI

MITSUBISHI 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
MITSUBISHI FG ³ (4X4) 1999-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA04775 MSC15100 ¹	MSC09918B MSC15000B LTA04775 MSC15100 ¹	MSC10182B MSC15000B LTA04775 MSC15100 ¹	MSC09909B MSC15000B LTA04775 MSC15100 ¹	MSC09919B MSC15000B LTA04775 MSC15100 ¹	MSC10192B MSC15000B LTA04775 MSC15100 ¹	
MITSUBISHI FG ⁴ (4X4) 2005-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA09623 MSC15100 ¹	MSC09918B MSC15000B LTA09623 MSC15100 ¹	MSC10182B MSC15000B LTA09623 MSC15100 ¹	MSC09909B MSC15000B LTA09623 MSC15100 ¹	MSC09919B MSC15000B LTA09623 MSC15100 ¹	MSC10192B MSC15000B LTA09623 MSC15100 ¹	

STRAIGHT BLADE SNOWPLOWS

MITSUBISHI

MITSUBISHI 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD- DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
MITSUBISHI FG ³ (4X4) 1999-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA04775 STB15103 ²	STB03167 STB15020 LTA04775 STB15103 ²	STB09980 STB15020 LTA04775 STB15103 ²	STB03168 STB15020 LTA04775 STB15103 ²	STB09986 STB15020 LTA04775 STB15103 ²	STB03236 STB15020 LTA04775 STB15103 ²	STB09990 STB15020 LTA04775 STB15103 ²	
MITSUBISHI FG ⁴ (4X4) 2005-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09623 STB15103 ²	STB03167 STB15020 LTA09623 STB15103 ²	STB09980 STB15020 LTA09623 STB15103 ²	STB03168 STB15020 LTA09623 STB15103 ²	STB09986 STB15020 LTA09623 STB15103 ²	STB03236 STB15020 LTA09623 STB15103 ²	STB09990 STB15020 LTA09623 STB15103 ²	

TRIP-EDGE SNOWPLOWS

MITSUBISHI

MITSUBISHI 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
MITSUBISHI FG ³ (4X4) 1999-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA04775 STB15103 ²	TRP07899 TRP15060 LTA04775 STB15103 ²
MITSUBISHI FG ⁴ (4X4) 2005-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09623 STB15103 ²	TRP07899 TRP15060 LTA09623 STB15103 ²
(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.		(2) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.		
		(3) Requires minimum 5510# front GAWR.		
		(4) Requires minimum 5730# front GAWR.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
POWER-V SNOWPLOWS
STERLING

STERLING 4X4 VEHICLES	DESCRIPTION	RT3 with SmartHitch2™							
		7'6" POWER-V	8'2" POWER-V	8'2" POLY POWER-V XT	8'2" POWER-V XT	9'2" POWER-V	9'2" POLY POWER-V XT	9'2" POWER-V XT	10'0" POWER-V
BULLET 4500/5500 2008-2010	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		MSC09908B MSC15000B LTA09320 MSC15100 ¹	MSC09918B MSC15000B LTA09320 MSC15100 ¹	MSC10182B MSC15000B LTA09320 MSC15100 ¹	MSC09909B MSC15000B LTA09320 MSC15100 ¹	MSC09919B MSC15000B LTA09320 MSC15100 ¹	MSC10192B MSC15000B LTA09320 MSC15100 ¹	MSC09910 MSC15010 LTA09300 MSC15100 ¹

STRAIGHT BLADE SNOWPLOWS
STERLING

STERLING 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™										
		7'6" STD-DUTY	7'6" POLY	7'6" SUPER	8'0" POLY	8'0" SUPER	8'0" SUPER XT	8'6" SUPER	8'6" SUPER XT	9'0" SUPER	9'0" SUPER XT	10'0" SUPER
BULLET 4500/5500 2008-2010	BLADE CRATE PLOW BOX UC KIT CONTROL KIT				STB03266 STB15020 LTA09320 STB15103 ²	STB03167 STB15020 LTA09320 STB15103 ²	STB09980 STB15020 LTA09320 STB15103 ²	STB03168 STB15020 LTA09320 STB15103 ²	STB09986 STB15020 LTA09320 STB15103 ²	STB03236 STB15020 LTA09320 STB15103 ²	STB09990 STB15020 LTA09320 STB15103 ²	STB07738 STB15050 LTA09300 STB15103 ²

TRIP-EDGE SNOWPLOWS
STERLING

STERLING 4X4 VEHICLES	DESCRIPTION	RT3 w/SmartHitch2™		
		7'6" SUPER-DUTY TRIP-EDGE	8'0" SUPER-DUTY TRIP-EDGE	9'0" SUPER-DUTY TRIP-EDGE
BULLET 4500/5500 2008-2010	BLADE CRATE PLOW BOX UC KIT CONTROL KIT		TRP07800 TRP15060 LTA09320 STB15103 ²	TRP07899 TRP15060 LTA09320 STB15103 ²
(1) MSC15100 is the standard Hand Held Control Kit on the Power V. Optional Joystick Control Kit MSC15101 is also available.		(2) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
SPORT-DUTY SNOWPLOWS
GENERAL MOTORS

GM 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	
COLORADO/CANYON ² Regular Cab 2004-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05400 STB15103 ¹		
CHEV – GMC AVALANCHE ⁴ 1/2 TON 2002-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09703 STB15103 ¹	STB09976 STB10321 LTA09703 STB15103 ¹	
CHEV – GMC AVALANCHE ^{6,5} 1/2 TON 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09002 STB15103 ¹	STB09976 STB10321 LTA09002 STB15103 ¹	
TAHOE ³ YUKON ³ SUBURBAN ³ 1/2 TON 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09703 STB15103 ¹	STB09976 STB10321 LTA09703 STB15103 ¹	
TAHOE ^{3,6} YUKON ^{3,6} 1/2 TON 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09002 STB15103 ¹	STB09976 STB10321 LTA09002 STB15103 ¹	
CHEV – GMC (CLASSIC BODY) ³ 1/2 TON 1988-2000	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05455 STB15103 ¹	STB09976 STB10321 LTA05455 STB15103 ¹	
CHEV – GMC (NEW BODY STYLE) ³ 1/2 TON 1999	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09703 STB15103 ¹	STB09976 STB10321 LTA09703 STB15103 ¹	
CHEV – GMC 1/2 TON ³ 2000-2007 (Classic)	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09703 STB15103 ¹	STB09976 STB10321 LTA09703 STB15103 ¹	
CHEV – GMC 1/2 TON ^{5,6} 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09002 STB15103 ¹	STB09976 STB10321 LTA09002 STB15103 ¹	

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.
(2) Requires minimum 2753# front GAWR.
(3) Requires minimum 3600# front GAWR.
(4) Requires minimum 3925# front GAWR.
(5) Requires minimum 3950# front GAWR.
(6) To achieve proper mounting height the air dam/bumper may require cutting.

NOTE: For additional applications and the recommended ballast use the “Select Your Plow” feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer’s weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver’s side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
SPORT-DUTY SNOWPLOWS
DODGE

DODGE 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	
DODGE DAKOTA ⁴ 2000-2004	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA04919 STB15103 ¹	STB09976 STB10321 LTA04919 STB15103 ¹	
DODGE DURANGO ⁴ 2000-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA04919 STB15103 ¹	STB09976 STB10321 LTA04919 STB15103 ¹	
DODGE RAM 1 / 2 TON ⁶ 2002-2005	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05435 STB15103 ¹	STB09976 STB10321 LTA05435 STB15103 ¹	
DODGE RAM REGULAR & QUAD CAB 1 / 2 TON ^{6,8} 2006-2008	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09825 STB15103 ¹	STB09976 STB10321 LTA09825 STB15103 ¹	
DODGE RAM REGULAR,QUAD,CREW 1 / 2 TON ⁶ 2009-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA15560 STB15103 ¹	STB09976 STB10321 LTA15560 STB15103 ¹	
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 2850# front GAWR. (3) Requires minimum 3400# front GAWR. (4) Requires minimum 3600# front GAWR.		(5) Requires minimum 3750# front GAWR. (6) Requires minimum 3900# front GAWR. (7) Requires minimum 4000# front GAWR. (8) Excludes 1500 Mega Cab.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bossplow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
SPORT-DUTY SNOWPLOWS
FORD

FORD 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	
FORD EXPEDITION ⁶ 1997-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05440 STB15103 ¹	STB09976 STB10321 LTA05440 STB15103 ¹	
RANGER ² Regular Cab 1998-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05375 STB15103 ¹	STB09976 STB10321 LTA05375 STB15103 ¹	
FORD F150 REG ³ /SUPER ⁴ /CREW ⁷ 1997-2003	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05440 STB15103 ¹	STB09976 STB10321 LTA05440 STB15103 ¹	
FORD F150 REG ⁵ /SUPER ⁵ /CREW ⁶ 2004-2008	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05430 STB15103 ¹	STB09976 STB10321 LTA05430 STB15103 ¹	
FORD F150 REG ⁵ /SUPER ⁵ /CREW ⁶ 2009-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA09164 STB15103 ¹	STB09976 STB10321 LTA09164 STB15103 ¹	
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 2850# front GAWR. (3) Requires minimum 3400# front GAWR. (4) Requires minimum 3600# front GAWR.		(5) Requires minimum 3750# front GAWR. (6) Requires minimum 3900# front GAWR. (7) Requires minimum 4000# front GAWR. (8) Excludes 1500 Mega Cab.		

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
SPORT-DUTY SNOWPLOWS
JEEP

JEEP 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	
JEEP WRANGLER ² 1997-2002	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05490 STB15103 ¹		
JEEP WRANGLER X ² 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 ³ STB10321 LTA05283 STB15103 ¹	STB09976 ^{3,4} STB10321 LTA05283 STB15103 ¹	

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.
(2) Requires minimum 2500# front GAWR.
(3) Limits Occupant to Driver Only.
(4) 6 Speed Manual Transmission Only.

SPORT-DUTY SNOWPLOW
NISSAN

NISSAN 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	
NISSAN TITAN ² 2004-2009	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA06270 STB15103 ¹		

(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available.
(2) Requires minimum 3500# front GAWR.

NOTE: For additional applications and the recommended ballast use the "Select Your Plow" feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer's weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver's side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.



2010-2011 BOSS SNOWPLOW SELECTION GUIDE
STRAIGHT BLADE SNOWPLOWS
TOYOTA

TOYOTA 4X4 VEHICLES	DESCRIPTION	RT3 SPORT-DUTY		RT3 with SmartHitch2	
		7'0" SPORT-DUTY	7'6" SPORT-DUTY	7'6" STANDARD-DUTY	7'6" POLY
TOYOTA TUNDRA ³ 2000-2006	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05250 STB15103 ¹	STB09976 STB10321 LTA05250 STB15103 ¹		
TOYOTA TUNDRA ² 2007-2011	BLADE CRATE PLOW BOX UC KIT CONTROL KIT	STB09567 STB10321 LTA05670 STB15103 ¹	STB09976 STB10321 LTA05670 STB15103 ¹	STB03165 ⁴ STB15020 LTA05680 STB15103 ¹	STB03262 ⁴ STB15020 LTA05680 STB15103 ¹
(1) STB15103 is the standard Hand Held Control Kit on the Straight Blade. Optional Joystick Control Kit STB15104 is also available. (2) Requires minimum 4000# front GAWR. (3) 2000 – 2003 Regular Cab only with a minimum 3160# front GAWR. 2004 – 2006 all cab styles with a minimum 3500# front GAWR. (4) Regular cab, standard box only.					

NOTE: For additional applications and the recommended ballast use the “Select Your Plow” feature on our website, www.bosspow.com. Vehicles intended to be equipped with a BOSS Snowplow must comply with vehicle manufacturer’s weight ratings for the truck. The vehicle must not at any time exceed the front axle weight rating (FGAWR), rear axle weight rating (RGAWR), or gross vehicle weight rating (GVWR). These weight limits are listed on a sticker on the driver’s side door jam. BOSS Snowplow recommends weighing the vehicle to verify the weight ratings are not exceeded. Counter weights (securely attached) are recommended to be placed rearward of the back axle such that the vehicle weight ratings are not exceeded. It may also be necessary to limit the number of passengers and payload. BOSS Snowplow is not responsible for vehicle warranty on any vehicles. If vehicle is not recommended for snowplow application by the vehicle manufacturer, the vehicle dealer should be contacted about possible warranty restrictions.

13 PIN VEHICLE HEADLIGHT ADAPTER CHART

	VEHICLE	SYSTEM TYPE	CONFIGURATION	HEADLIGHT/BULB	PART NO.
CHEVY / GMC	1980 - 2006 Chevy/GMC	2 Lamp Rectangular Sealed Beam		6052 or H6054 (2B)	MSC04599
	1980 & Older Chevy/GMC	2 Lamp Round Sealed Beam		6014 or H6017 (2B)	MSC04599
	1987 & Older Chevy/GMC	4 Lamp Sealed Beam		High Beam 4651 or H4651 (1A) Low Beam 4652 or H4656 (2A)	MSC04599
	1988-1989 Chevy/GMC	4 Lamp Sealed Beam		High Beam H4701 (LF) Low Beam H4703 (UF)	MSC04600
	1990 - 2000 Chevy/GMC (Classic Body Style)	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC04601
	1999 - 2006 Chevy/GMC 1/2 Ton	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC04601
	1999 - 2006 Chevy/GMC 3/4 Ton & 1 Ton	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC04601
	2007 Chevy/GMC (Classic Body Style)	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC04601
	2007 - 2011 Chevy/GMC (Silverado, Sierra, Tahoe, Suburban)	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam (H11)	MSC09003
	2007 - 2011 GMC Yukon	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
	2007 - 2011 Chevy/GMC	2 Lamp Sealed Beam		6052 or H6054 (2B)	MSC04599*
	2003 - 2011 C4500/C5500	2 Lamp Sealed Beam		H4651 (2B)	MSC09809
	2004 - 2011 Colorado/Canyon	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC04601
FORD	1980 - 1986 Ford	2 Lamp Sealed Beam		H6054 (2B)	MSC04599
	1987 - 1991 Ford	2 Lamp Replaceable Bulb		9004 (HB1)	NONE REQUIRED
	1992 - 2003 F150	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	2004 - 2008 F150	2 Lamp Replaceable Bulb		9008 (H13)	MSC08839
	1998 - 2011 Ranger	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	1992 - 2004 F250, F350, Super Duty & Excursion	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	1999 - 2007 Super Duty	2 Lamp Sealed Beam		H6054 (2B)	MSC04599
	2005 - 2007 Super Duty & Excursion	2 Lamp Replaceable Bulb		9008 (H13)	MSC08839
	2008-2011 Super Duty	2 Lamp Sealed Beam		H6054 (2B)	MSC04599*
	2008-2011 Super Duty & Excursion	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
	2009-2011 F150	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
DODGE	1991-1993 Dodge Ram	2 Lamp Sealed Beam		6052 or H6054 (2B)	MSC04599
	1994 - 1998 Dodge Ram	2 Lamp Replaceable Bulb		9004 (HB1)	NONE REQUIRED
	2000 - 2004 Dakota 2000 - 2003 Durango	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	1999 - 2001 Ram 1/2 Ton (Without Sport Package)	2 Lamp Replaceable Bulb		9004 (HB1)	NONE REQUIRED
	1999 - 2001 Ram 1/2 Ton (With Sport Package)	4 Lamp Replaceable Bulb		9004 / 9007 (HB1/HB5)	MSC04597
	1999 - 2002 Ram 3/4 & 1 Ton (Without Sport Package)	2 Lamp Replaceable Bulb		9004 (HB1)	NONE REQUIRED
	1999 - 2002 Ram 3/4 & 1 Ton (With Sport Package)	4 Lamp Replaceable Bulb		9004 / 9007 (HB1/HB5)	MSC04597
	2002 - 2005 Ram 1/2 Ton	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	2003 - 2005 Ram 3/4 & 1 Ton	2 Lamp Replaceable Bulb		9007 (HB5)	NONE REQUIRED
	2006 - 2011 Ram 1/2, 3/4 & 1 Ton	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
	2009-2011 Ram 1/2, 3/4 & 1 Ton	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam (H11)	MSC09993
	2008-2011 Ram 4500/5500	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
	STERL	2008-2011 Bullet 4500/5500	2 Lamp Replaceable Bulb		9008 (H13)
JEEP	1997-2002 Jeep Wrangler	2 Lamp Sealed Beam		H6024	MSC04599
	2007- 2011 Jeep Wrangler X	2 Lamp Replaceable Bulb		9008 (H13)	MSC09993
MIT S	1999 - 2004 Mitsubishi FG (4X4)	4 Lamp Replaceable Bulb		46H3 / 46R3 (1A/2A)	MSC04599
	2005 - 2011 Mitsubishi FG (4X4)	2 Lamp Replaceable Bulb		9003 (H4)	MSC09702
NISSAN	2004 - 2009 Titan	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam 9006 (HB4)	MSC06289
TOYOTA	2000 - 2006 Tundra	2 Lamp Replaceable Bulb		9003 (H4)	MSC04599
	2007 - 2011 Tundra	4 Lamp Replaceable Bulb		High Beam 9005 (HB3) Low Beam (H11)	MSC05665

* Turn Signal Realy Kit MSC09991 will be required in addition to Headlight Adapter MSC04599

PUSHBEAM SIZES AND APPLICATIONS

RTII	RT3	RT3 Sport-Duty	VEHICLE	OAL OUTSIDE TO OUTSIDE	TAB SPACING OUTSIDE TO OUTSIDE	UNDERCARRIAGE
PBA03539	PBA03661	N/A	CHEVY '87 & OLDER	25" (II) 22 1/2" (3)	15 3/4"	LTA03540 (RTII) LTA03660 (RT3)
PBA02225	PBA03657	PBA05456	CHEVY '88-'00; CLASSIC BODY STYLE	34"	14 1/4"	LTA02430 (RTII) LTA03656 (RT3) LTA05455 (Sport-Duty)
PBA03503	PBA03644	N/A	CHEVY/GMC '91 - '02; 3500HD FORD '81-'91; F150, 250, 350 FORD '92-'97; F250-350	27 1/2"	NA	LTA03500 (RTII) LTA03598 (RTII) LTA03570 (RTII) LTA03643 (RT3) LTA03674 (RT3) LTA03675 (RT3)
PBA04169	PBA07909	N/A	CHEVY '99 & '02; 1/2 TON & 3/4 TON	34"	16 3/8"	LTA02639 (RTII) LTA02640 (RTII) LTA03698 (RT3) LTA03699 (RT3)
N/A	PBA04373	PBA09704	CHEVY '99 - '06; 1/2 TON CHEVY 2007; 1/2 TON CLASSIC CHEVY '99 - '11; 3/4 TON	34"	16 3/8"	LTA04766 (RT3) LTA09703 (Sport-Duty) LTA09002 (Sport-Duty) LTA04767B (RT3)
N/A	PBA09016	PBA09020	CHEVY '07 - '11; 1/2 TON	24 5/8"	16 3/8"	LTA09001 (RT3) LTA09002 (Sport-Duty)
N/A	PBA05151	N/A	CHEVY '03 - '11; C4500 & C5500	25 1/2"	N/A	LTA05150B (RT3)
N/A	PBA05101	N/A	CHEVY '03 - '11; C4500 & C5500	25 1/2"	N/A	LTA05100B (RT3 HD)
PBA03625	PBA03670	N/A	DODGE '73-'93; W250-W350	25 1/2" (II) 24 7/8" (3)	N/A	LTA03545 (RTII) LTA03669 (RT3)
PBA02220	PBA03665	N/A	DODGE '94 - '02; 1/2 & 3/4 TON	36 3/8"	27 1/2"	LTA02638E (RTII) LTA03666E (RT3)
N/A	PBA04165	N/A	DODGE SPORT 1999	36 3/8"	27 1/2"	RT3
N/A	PBA04911	PBA04920	DODGE '00 - '04; DAKOTA	32 13/16"	16 3/8"	LTA04902 (RT3) LTA04919 (Sport-Duty)
N/A	PBA04875	PBA05436	DODGE '02 - '05; 1/2 TON	37 3/8"	16 3/8"	LTA04874B (RT3) LTA05435 (Sport-Duty)
N/A	PBA09816	PBA09827	DODGE '06 - '08; 1/2 TON	30 1/4"	13 1/2"	LTA09823 (RT3) LTA09825 (Sport-Duty)
N/A	N/A	PBA09827	DODGE '09-'11; 1/2 TON	30 1/4"	13 1/2"	LTA15560 (Sport-Duty)
N/A	PBA04870	N/A	DODGE '03 - '11; 3/4 TON & 1 TON	40 3/8"	30 1/4"	LTA04770C (RT3)
N/A	PBA09301	N/A	DODGE '08-'11 4500/5500 (10')	39 1/4"	N/A	LTA09300 (RT3 HD)
N/A	PBA09321	N/A	DODGE '08-'11 4500/5500	39 1/4"	N/A	LTA09320 (RT3)
N/A	PBA09301	N/A	STERLING '08-'11 (10')	39 1/4"	N/A	LTA09300 (RT3 HD)
N/A	PBA09321	N/A	STERLING '08-'11	39 1/4"	N/A	LTA09320 (RT3)
PBA03520	PBA03649	N/A	FORD '92-'96; F150	32 1/2"	17 1/8"	LTA03501 (RTII) LTA03648 (RT3)
PBA04580	PBA04579	N/A	FORD '99 - '07; SUPER DUTY	32 3/8"	N/A	LTA02429C (RTII) LTA03654C (RT3)
N/A	PBA09061	N/A	FORD '08-'11; SUPER DUTY	29 - 7/8"	N/A	LTA09060 (RT3)
N/A	PBA05453	PBA05441	FORD '97 - '03; F250 LD	27 1/2"	10 3/8"	LTA03653B (RT3) LTA05440 (Sport-Duty)
N/A	PBA03682	N/A	FORD '99 - '07; F450/550	32 3/8"	N/A	LTA07661B (RT3 HD)
N/A	PBA09071	N/A	FORD '08-'11; F450/550	29 3/4"	N/A	LTA09070 (RT3 HD)
N/A	PBA05305	PBA05431	FORD '04 - '08; F150	29 3/16"	15 1/8"	LTA05300 (RT3) LTA05430 (Sport-Duty)
N/A	PBA09165	PBA09166	FORD '09-'11; F150	38 1/8"	15 1/8"	LTA09163 (RT3) LTA09164 (Sport-Duty)
N/A	N/A	PBA05253	CHEVY '04 - '11; COLORADO FORD '98 - '11; RANGER	31 3/8"	14 5/8"	LTA05400 (Sport-Duty) LTA05375 (Sport-Duty)
N/A	PBA05685	PBA05675	TOYOTA '00 - '06; TUNDRA	36 3/8"	10"	LTA05250 (Sport-Duty)
N/A	N/A	PBA05277	JEEP WRANGLER X, '07-'11	34"	N/A	LTA05680 (RT3)
N/A	N/A	PBA05495	JEEP WRANGLER '97 - '02	33 1/4"	N/A	LTA05283(Sport Duty) LTA05490 (Sport-Duty)
N/A	PBA04776	N/A	MITSUBISHI '99 - '04; FG 4X4	36 15/16"	16 15/16"	LTA04775 (RT3)
N/A	PBA09624	N/A	MITSUBISHI '05 - '11; FG 4X4	33"	17 3/4"	LTA09623 (RT3)
N/A	N/A	PBA06274	NISSAN '04-'09; TITAN	39 1/8"	13 1/4"	LTA06270 (Sport-Duty)
N/A	PBA07756	N/A	UNIVERSAL 10' PLOW	N/A	N/A	LTA07667(RT3 HD)